

Revision Number: 001.2

Issue date: 10/09/2014

1. PRODUCT AND COMPANY IDENTIFICATION LePage® White Glue Product name: **IDH number:** 442183 Product use: Adhesive Region: Canada Contact information: Company address: Henkel Canada Corporation Telephone: 905.814.6511 2515 Meadowpine Boulevard MEDICAL EMERGENCY Phone: Poison Control Center Mississauga, Ontario L5N 6C3 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887 Internet: www.henkelna.com 2. HAZARDS IDENTIFICATION **EMERGENCY OVERVIEW** Physical state: Liquid WHMIS hazard class: D.2.A, D.2.B Color: White Odor: Mild CAUTION: MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION. Relevant routes of exposure: Skin, Inhalation, Eyes **Potential Health Effects** Inhalation: Inhalation of vapors or mists of the product may be irritating to the respiratory system. No skin irritation can be expected from single short-term exposure to this product. Prolonged Skin contact: or repeated contact may produce some irritation. Contact may result in moderate irritation. Eye contact: Ingestion: Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal irritation and disturbances. Existing conditions aggravated by None known exposure:

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

CAS NUMBER	%		
10043-35-3	0.1 - 1		
4. FIRST AID MEASURES			
Move to fresh air. If not b medical attention.	Move to fresh air. If not breathing, give artificial respiration. Get immediate medical attention.		
	Immediately wash skin thoroughly with soap and water. Remove contaminated clothing and footwear. Get immediate medical attention.		
	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get immediate medical attention.		
	10043-35-3 4. FIRST AID MEASUR Move to fresh air. If not b medical attention. Immediately wash skin th clothing and footwear. Ge Rinse immediately with p		

Ingestion:

DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical attention.

5. FIRE FIGHTING MEASURES		
Flash point:	> 100.0 °C (> 212°F) calculated	
Autoignition temperature:	Not determined	
Flammable/Explosive limits - lower:	Not determined	
Flammable/Explosive limits - upper:	Not determined	
Extinguishing media:	Use extinguishing measures appropriate to local circumstances and the surrounding environment.	
Special firefighting procedures:	Keep unnecessary personnel away. Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA).	
Unusual fire or explosion hazards:	This product is an aqueous mixture which will not burn. If evaporated to dryness, the solid residue may pose a slight fire hazard.	
Hazardous combustion products:	Oxides of carbon.	
Sensitivity to Mechanical Impact:	None expected.	
Sensitivity to static discharge:	None expected.	

6. ACCIDENTAL RELEASE MEASURES

 Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

 Environmental precautions:
 Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Do not allow product to enter sewer or waterways.

 Clean-up methods:
 Keep unnecessary personnel away. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Dispose of contaminated material as waste according to Section 13.

7. HANDLING AND STORAGE

Handling:

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Storage:

Below temperature limit the product properties will change. Keep container closed. Keep from freezing. Keep in a cool place.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Boric acid	6 mg/m3 STEL Inhalable fraction. 2 mg/m3 TWA Inhalable fraction.	None	None	None

Engineering controls:	Work should be done in an adequately ventilated area (i.e., ventilation sufficient to maintain concentrations below one half of the PEL and other relevant standards). Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination.
Respiratory protection:	Use NIOSH approved respirator if there is potential to exceed exposure limit(s). Observe OSHA regulations for respirator use (29 CFR 1910.134).
Eye/face protection:	Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists.
Skin protection:	Use impermeable gloves and protective clothing as necessary to prevent skin contact. Wear suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature:
• • • • • •
Autoignition temperature: Evaporation rate:
Solubility in water:
Partition coefficient (n-octanol/water): VOC content:

Liquid White Mild Not available. 4 Not available. > 100 °C (> 212°F) calculated 0 °C (32°F) (Freezing point) 1.08 Not determined > 100.0 °C (> 212°F) calculated Not determined Not determined Not determined Not determined Miscible Not determined Not determined

10. STABILITY AND REACTIVITY

Stability:	Stable under normal conditions of storage and use.	
Hazardous reactions:	Will not occur.	
Hazardous decomposition products:	Oxides of carbon.	
Incompatible materials:	Contact with water reactive materials (such as oleum) can cause exothermic reactions.	
Conditions to avoid:	Do not freeze.	
11. TOXICOLOGICAL INFORMATION		

Toxicologically synergistic products:

Not available.

Refer to the following for Irritancy of Product, Sensitization to Product, Carcinogenicity, Reproductive Toxicity, Teratogenicity, and Mutagenicity.

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)	ACGIH Carcinogen
Boric acid	No	No	No	Group A4

Hazardous components	LD50s and LC50s	Health Effects/Target Organs
Boric acid	Oral LD50 (RAT) = 2,660 mg/kg Dermal LD50 (RABBIT) = > 2,000 mg/kg Inhalation LC50 (RAT, 4 h) = > 0.002 mg/l	Behavioral, Central nervous system, Developmental, Gastrointestinal, Irritant, Kidney, Liver, Reproductive, Skin, Less weight gain and food intake.

12. ECOLOGICAL INFORMATION

Ecological information:

Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Legal disposition of wastes is the responsibility of the owner/generator of the waste. Applicable federal, state and/or local regulations must be followed during treatment, storage, or disposal of waste containing this product.

14. TRANSPORT INFORMATION

<u>- Ground</u>
Not regulated
None
None
None
Not regulated
None
None
None
Not regulated
None
None
None
•

15. REGULATORY INFORMATION

Canada Regulatory Information

CEPA DSL/NDSL Status:

All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation (CPR), and the MSDS contains all the information required by the CPR.

Prepared by: Jennifer Altman, Sr. Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.